



ODISHA STATE MEDICAL CORPORATION LTD.
(A Govt. of Odisha Undertaking)
Assuring Quality, Saving lives

Letter No. **2481** /OSMC

Dt. **13/03/2025**

PRE-BID CORRIGENDUM

FOR SUPPLY OF DRUGS & MEDICAL CONSUMABLES (GROUP-I) FOR THE F.Y- 2025-2026
Bid Ref. No.:- OSMCL/2025-26/DRUGS-DHS-GEN-GR-I/01

Sl. No	Item Name/ Particulars	Details as mentioned in the tender document	Queries raised by the prospective bidders	Clarifications/ Amendments in response to the queries.
Queries Raised by the Bidder				
1	Clause No.4.1 Column No. 5	Mandatory Pack Size	Requested to amend pack size 10 X 75 or 10 X 100 or 10 X 50 or 10 X 30 or 10 X 25	Amended . Primary packing is mandatory. . Bidders allow to supply maximum upto 30 strip / Bottle / Ampoule / Vials / Respules / Ointment / Gel / Lotion etc. in secondary packing.
2	Clause No. 5.2.8	Format – T7	Requested to waive out T7 from Tender Document. Due to huge document upload which create internet problem.	Amended The bidder has to submit the modified T7 format for each item mandatorily. However the supporting documents (Purchase Order, Contract copy etc.) shall be submit when asked by competent authority of OSMCL. The Modified T7 format is attached at Annexure II.
3	Clause No.4.1 (Section –IV) Sl. No. 277, 278, 293, 295	D16032, D16033, D16052, D16056	1 Vial Immunate	Amended 1 Vial All other specification as per tender document.
4	Clause No.4.1 (Section –IV) Sl. No. 183	D09174- Inj. Netilmicin Sulphate (with 10ml diluents in plastic container), 300 mg/vial	Requested to accept in shape of ampoule instead of Vial.	No Change



ODISHA STATE MEDICAL CORPORATION LTD.
(A Govt. of Odisha Undertaking)
Assuring Quality, Saving lives

5	Clause No.4.1 (Section –IV) Sl. No. 109,226, 231	D08004,D12008, D12017	Requested to accept pack size 10 Tab in perforated strip	Amended The pack size 1 Tab/Strip or Maximum upto 10 Tab in perforated strip.
6	Clause No.4.1 (Section –IV) Sl. No. 249	D14002 - Syp. Chloroquin Phosphate (Palatable, with measuring cap and plastic container as per I.P)	Requested to accept in Suspension instead of Syrup.	No Change
7	Clause No.4.1 (Section –IV) Sl. No. 65	D05010- Tab. Cetrizine Dihydrochloride (Scored) (Aluminium foil/Blister pack)	Requested to accept the product without scored Tablet.	No Change
8	Clause No.4.1 (Section –IV) Sl. No. 466	D22035- Insulin Lispro, 100 units/ml 10 ml/Vial	Requested to accept the product in Kwik Pen form.	No Change
9	Clause No.4.1 (Section –IV) Sl. No. 305	D16070 - Inj. Emicizumab, 30mg/vial	Requested to clarify regarding EMD amount to be paid.	Clarification : Please refer the clause no. 3.1 sl no – 3 & 6.7.1
10	Clause No.4.1 (Section –IV) Sl. No. 705	D30051 - Inj. Multivitamin (MVI) Vit. A-1000IU + Vit. B1-5mg + Vit B2-1.4mg + Vit. B3 10mg + Vit. B5 2.5mg + Vit. B6 1.5mg + Vit. D 100IU + Vit. E 0.5mg / 1ml	Requested to change the specification.	No Change
11	Clause No.5.2.5	Bidder (manufacturer/ importer) shall have minimum turnover as per Section IV Column No. 8 in each of the year for last 3(three) financial years in India.	Requested to clarify regarding turnover how it can be product wise turnover.	Clarification : Company turnover certified by the Chartered accountant & supported by audited annual statements / annual report with the turnover figures highlighted there.
12	Clause No.4.1 (Section –IV) Sl. No. 382	D18051 - Azelaic Acid Cream / Ointment, 10 % w/w	Requested to change the specification from 10 % w/w to Gel base with 15 % w/w	No Change



ODISHA STATE MEDICAL CORPORATION LTD.
(A Govt. of Odisha Undertaking)
Assuring Quality, Saving lives

13	Clause No.4.1 (Section –IV) Sl. No. 140	D09092 - Tab. Diethylcarbamazine Citrate (Coated) (Aluminium Foil / Blister Pack), 100 mg / Tab	Requested to Tablet should be uncoated.	Amended D09092 - Tab. Diethylcarbamazine Citrate (Coated /uncoated) (Aluminium Foil / Blister Pack), 100 mg / Tab
14	Clause No.4.1 (Section –IV) Sl. No. 135	D09077 - Tab. Azithromycin (Scored) (Aluminium Foil/Blister pack), 500 mg/Tab Pack Size : 3 Tabs/Strip 5 Strips/Box	Requested to change the pack size in primary packing.	Amended D09077 - Tab. Azithromycin (Scored) (Aluminium Foil/Blister pack), 500 mg/Tab Pack Size : 3 or 5Tabs/Strip 5 Strips/Box
15	Clause No.4.1 (Section –IV) Sl. No. 651	D28050 - Syp. Dextromethorphan (Palatable, with measuring cap and plastic container as per I.P), Dextromethorphan 10mg, Phenylephrine 5mg, Chlorpheniramine Maleate 2mg/5ml (SUGAR FREE)	Requested to correct generic name should be written.	Amended D28050 – Syp. Dextromethorphan + Phenylephrine + Chlorpheniramine Maleate (Palatable, with measuring cap and plastic container as per I.P), Dextromethorphan 10mg, Phenylephrine 5mg, Chlorpheniramine Maleate 2mg/5ml (SUGAR FREE)
16	Clause No.4.1 (Section –IV) Sl. No. 651, 652	D28050,D28051 Pack Size : 120 ml/Bottle 20 Bottles/Box	Requested to change the pack size 100 ml/Bottle	Amended Pack Size : 100 ml/Bottle 20 Bottles/Box
17	Clause No.4.1 (Section –IV) Sl. No. 698	D30044 Pack Size : 70 ml/Bottle 20 Bottles/Box	Requested to change the pack size 60 ml/Bottle	No Change
18	Clause No.4.1 (Section –IV) Sl. No. 816	D47019 - Tab. Cinnarizine + Dimenhydrinate (Aluminium foil/Blister pack), 24mg + 40mg/Tab.	Requested to change the specification.	Amended D47019 - Tab. Cinnarizine + Dimenhydrinate (Aluminium foil/Blister pack), 20mg + 40mg/Tab.



ODISHA STATE MEDICAL CORPORATION LTD.
(A Govt. of Odisha Undertaking)
Assuring Quality, Saving lives

19	Clause No.4.1 (Section –IV) Sl. No. 495	D23011 - Inj. Human Anti-D Immunoglobuline, 300mcg/ (2ml/1ml) Amp/Vial	Requested to change the specification.	No Change
20	Clause No. 6.27.10	No goods shall be received after expiry of the penal period i.e. 30 days after the normal delivery period of 70 days as per Cl. no. 6.27.2 (a), hence the maximum deliver/supply period is up-to 100 days.	Requested to change the maximum deliver/supply period is up-to 120 days.	No Change
21	Clause No.4.1 (Section –IV) Sl. No. 459,465,576, 590, 604, 611,628	D22016, D22034, D27014, D27049, D27099. D27110, D27138	Requested to change the specification.	No Change
22	Clause No.4.1 (Section –IV) Sl. No. 832, 837	S02053 - VDRL Rapid Test Kit, (RPR) Rapid Plasma Regime. S02394 - Dual HIV & Syphilis Rapid Diagnosis Test Kits. S02113 - Whole Blood Finger Prick Test Kit	Requested to remove temperature indicator	Clarification : Temperature indicator is not required, if the kits stable in room temperature .
23	Clause No. 5.2.8	Bidder should have experience in supplying quoted item/Same Molecule of Similar Dosages form as per tender specification to the State or Central Government or Government Hospitals / Corporate Hospitals / PSU Hospitals/ Municipal Hospitals / Pvt. Hospitals in India / UN agencies / Authorized agency of the State / Central Govt. / PSU/Open Market Supply as a manufacturer or otherwise during last 3(three) years in Format T7 .	Requested to change the clause Bidder should have experience in supplying quoted item.	No Change



ODISHA STATE MEDICAL CORPORATION LTD.
(A Govt. of Odisha Undertaking)
Assuring Quality, Saving lives

24	Clause No.4.1 (Section –IV) Sl. No. 429	D21027 - Susp. / Gel Antacid (Palatable, with measuring cap and plastic container as per I.P), (Alu. Hydroxide 250mg + Mag. Hydroxide 250mg+Methyl Polysiloxane 50mg)/ 5 ml (Orange / Mint /Pineapple flavour)	Requested to change the specification.	No Change
25	Clause No.4.1 (Section –IV) Sl. No. 302	D16067 - Anti-Inhibitor Coagulant complex steam treated, 500 IU/Vial	Requested to change 500 U instead of 500 IU	Amended D16067 - Anti-Inhibitor Coagulant complex steam treated, 500 U/Vial
26	Clause No. 6.40	Fall Clause	Requested to remove the Fall Clause	No Change
27	Clause No. 6.27.6	At the time of supply the item should have minimum 70% of the remaining shelf life from the date of manufacture	Requested to change the minimum shelf life 50% instead of 70%	No Change
28	Clause No. 6.27.2 (b)	In case of vaccines, serum, immunoglobulin, blood products like human coagulation factors VII, VIII, IX, etc., which requires quality clearance of the item(s) from CRI Kasauli/ NIB Noida/ Govt. Statutory Laboratories	Requested to relax the analytical report of the supplied batches from the accredited Lab.	No Change
29	Clause No. 6.29.3.1	Drugs / Items having 1 (one) or 2 (two) empanelled laboratories for test and analysis In case of NSQ report of the sample from the empanelled NABL Accredited Laboratory, the status report related to NSQ / SQ shall be treated as final report.	Requested to remove the Clause.	No Change



ODISHA STATE MEDICAL CORPORATION LTD.
(A Govt. of Odisha Undertaking)
Assuring Quality, Saving lives

30	Clause No.4.1 (Section –IV) Sl. No. 280	D16036 - Inj. Enoxaparin, 60mg 60mg/Amp 20 Amps/Box	Requested to amend the pack size.	Amended D16036 - Inj. Enoxaparin, 60mg/(Amp./PFS) Pack Size 60mg/(Amp./PFS) 20(Amps./PFS)/Box
31	Clause No.4.1 (Section –IV) Sl. No. 498	D23014 - Inj. Human Rabies Immunoglobuline, 300 IU / 2ML	Requested to amend the turnover 10 crores instead of 15 crores.	No Change
32	Clause No. 5.2.2		Requested to clarify WHO GMP is mandatory or GMP Certificate as per schedule M	Clarification : WHO GMP is mandatory
33	Clause No.4.1 (Section –IV) Sl. No. 407	D19028 - Glutaraldehyde with activator, 2.45%, with 2 bottles of activator (each for 2.5 liter)	Requested to change the specification.	No Change
34	Clause No. 6.6.3.			Clarification : Only Local MSMEs registered in Odisha with the respective DICs, Khadi, Village, Cottage & Handicraft Industries, NSIC, OSIC are exempted from submission of EMD
35	Clause No.4.1 (Section –IV) Sl. No. 225, 437, 695	D17040, D21041, D30039	Requested to amend the pack size Vial/Amp	No Change
36	Clause No.4.1 (Section –IV) Sl. No. 292, 294	D16051, D16054	Requested to relaxation regarding market standing for the item D16051, D16054	Amended Bidder should have at least 1 (One) year market standing for the quoted item (D16051, D16054)



ODISHA STATE MEDICAL CORPORATION LTD.
(A Govt. of Odisha Undertaking)
Assuring Quality, Saving lives

General Clarification on Price Bid

- a) The bidders have to quote the prices as per the format mentioned in Price BOQ in the e-tender portal. The prices (Rates) are to be quoted per Tab./ Cap./ Amp./ Vial./ Test/ Kit/ Bottle/ Jar/ Combipack/ Tube/ Pessary/ PFS/ Film etc.(as the case may be) and not in unit pack, the quoted price includes packing, forwarding / transportation & Door Delivery and excludes GST.
- b) The amendments mentioned above are to be treated as amendments in the technical specification(s) and term(s) and condition(s) of the above tender references. All other technical specifications and terms conditions remain unchanged.
- c) Since any text in the price BOQ can't be changed in the e-tender portal, the amendments mentioned in the specifications above are to be treated as amendments in the price bid/ BOQ also.

12/31/24
G.M.-Operation (D & S)

Odisha State Medical Corporation Ltd.

Annexure II

Format – T7

(To be submitted in **Part – I Technical Bid**)
(In terms of Cl. No. 5.2.8 of Bid Document)

PERFORMANCE STATEMENT
(For the period of last three years)

Name of Bidder:

Name of Manufacturer: _____

Name of the Item : _____

Sl.	Order Placed by (Address of purchaser)	Order no. & Date	Item Name with Drug Code.	Specification	Qty	Value of Contract (Rs.)	Date of Completion
1							
2							

(attach separate sheets if the space provided is not sufficient)

I / Wehaving My / our registered office at..... and having My / our factory premises at..... do hereby declare that I / We have read and understood all of the terms and conditions of the bidding document under bid reference number and the details furnished are true to the best of my/our knowledge. Further the above declare document will be submitted to the Tender Inviting Authority as and when required during any time of contract period, failing which action will be initiated against me/us as per tender terms and condition.

Signature and seal of the Bidder